

## Office Multifunction & Printers Range Brochure



# Smart Office

A seamless connected office with smart workflows between multifunction printers, client devices, smartphones and multiple cloud services. ApeosPro & Apeos series slide right into the heart of your smart office workflows with ease and enhances overall experience with usability, connectivity, security, quality and high versatility.

## Marketing Department

- Seamless mobile & cloud connectivity
- Quick one touch and inter-connected workflows
- Reliable devices with almost no downtime
- Easy cost allocation based on each user or group

### Apeos C7070 Series

## Corporate Print Room

- In-house On Demand printing of marketing collaterals
- Heavy data files handling (e.g. CAD drawing) with short turnaround
- Colour & texture management for high quality output
- Complete control on product with multiple finishing options

### ApeosPro C810 Series



## Reception

- Less waiting time with fast output
- Small footprint for space utilization
- Present better impression with high print quality

### Apeos C325 Series

## Finance Department

- High speed & heavy duty printing
- Fine line reproduction for clear text
- Device to document security

### Apeos C8180 Series

# Fujifilm Business Innovation Value Offerings



## Multifunction Printer

- Colour and mono multifunction printers to print, copy, scan and fax in A4 or A3.



## Single Function Printer

- Achieve superb printing quality for home office or SMB.




## Secure Access (with Card reader)

- When used in conjunction with proximity/swipe cards, users can print and walk up to devices, then securely retrieve their documents at their convenience.



## Mobile

- Seamless connectivity with Smartphone.
- Direct Print/Scan



## Cloud

- Direct scan and print from popular cloud services on Fujifilm multifunction printers.



## Finishing Options

- Various options are available according to your need
- Supports single and double Staple-free Stapling
- \*Please refer to the detailed in the page 14.



## Serviceability

- Monitoring the multifunction device status to minimise operation down time.
- Remote Assistance with the help of operator



## Print Management

- Individual user-based IT access rights with audit logs for any documents that have been copied, printed, scanned or faxed (sent / received) using the organization's wide fleet of MFPs.



## Workflow Management

- Set predetermined company wide simple & single touch workflows to enable everyone in an organisation to easily access and avoid potential errors while starting a scanning workflow.

# A4 Office Multifunction & Printers

## COLOUR

Monthly Print Volume  
5,000 - 10,000 pages\*



Apeos / ApeosPrint  
C5240  
52 PPM



## MONO



ApeosPort-VII  
4021  
48 PPM



ApeosPort-VII  
5021  
53 PPM



Apeos / ApeosPrint  
6340  
63 PPM



## COLOUR

Monthly Print Volume  
3,000 - 5,000 pages\*



ApeosPort-VII  
C3321  
35 PPM



ApeosPort-VII  
C4421 / CP4421  
40 PPM



## MONO



DocuPrint  
M385 / P385  
40 PPM



ApeosPort / ApeosPort Print  
4730SD  
47 PPM



ApeosPort-VII  
P5021  
53 PPM



## COLOUR

Monthly Print Volume  
2,500 - 3,500 pages\*



ApeosPort / ApeosPort Print  
C3320SD  
33 PPM



ApeosPort / ApeosPort Print  
C3830SD  
38 PPM



## MONO



ApeosPort / ApeosPort Print  
4020SD  
40 PPM



DocuPrint  
M375 / P375  
40 PPM



## COLOUR

Monthly Print Volume  
Up to 2,500 pages\*



ApeosPort / ApeosPort Print  
C2410SD  
24 PPM



Apeos / ApeosPrint  
C325  
31 PPM



## MONO



ApeosPort / ApeosPort Print  
3410SD  
34 PPM





# A3 Office Multifunction & Printers

## COLOUR

Monthly Print Volume  
20,000 - 30,000 pages\*



**Apeos C8180**  
81, 75, 65 PPM

## MONO



**ApeosPort-V 7080**  
75, 65 PPM

## COLOUR

Monthly Print Volume  
5,000 - 20,000 pages\*



**ApeosPort Print C5570**  
55 PPM



**Apeos C7070**  
70, 60, 55 PPM  
45, 35, 30 PPM

## MONO



**DocuPrint 5105 d**  
55 PPM

**Apeos 5570**  
55, 45 PPM

## COLOUR

Monthly Print Volume  
4,000 - 6,000 pages\*



**Apeos C3060**  
30, 25, 20 PPM

## MONO

**Apeos 3560**  
35, 30, 25 PPM



**DocuPrint 4405 d**  
45, 38, 32 PPM

## COLOUR

Monthly Print Volume  
Up to 4,000 pages\*



**DocuPrint C3555 d**  
35, 30 PPM



**DocuCentre SC2022**  
20 PPM

## MONO



**Apeos 2150 NDA**  
21 PPM



**DocuCentre S2520**  
25, 23 PPM

\*Monthly print volume band is for illustration purpose only; Please confirm on each model's print volume before buying PPM (Pages Per Minute)  
\*\*Images are not drawn to scale

# A4 Single Function Colour Printer



## Product Specifications

### ApeosPrint C5240

### ApeosPort-VII CP4421

### ApeosPort Print C3830 SD



Print Speed (A4 LEF)

B/W & Colour: 52 ppm

B/W & Colour: 40 ppm

B/W & Colour: 38 ppm

Max Print Resolution

1,200 x 2,400 dpi

1,200 x 2,400 dpi

1,200 x 1,200 dpi

FPOT

B/W: 4.1 sec

B/W: 8.0 sec

B/W: 7.0 sec

(First Print Output Time)

Colour: 4.2 sec

Colour: 8.0 sec

Colour: 7.0 sec

User Interface

5" colour touch panel

5" colour touch panel

4.3" colour touch panel

Connectivity

USB 3.0 / Gigabit Ethernet /  
NFC / Wi-Fi\*<sup>2</sup>

USB 3.0 / Gigabit Ethernet /  
NFC / Wi-Fi\*<sup>2</sup>

USB 2.0 / Gigabit Ethernet /  
Wi-Fi\*<sup>2</sup>

Media GSM (Min to Max)

60 to 220 gsm

60 to 220 gsm

60 to 200 gsm

Automatic Duplex Printing

Yes

Yes

Yes

Paper Capacity (Std/Max)

Standard: 700 sheets  
Max: 3,250 sheets

Standard: 700 sheets  
Max: 2,350 sheets

Standard: 251 sheets  
Max: 1,451 sheets



## Product Specifications

### ApeosPort Print C3320 SD

### ApeosPrint C325 dw

### ApeosPort Print C2410



Print Speed (A4 LEF)

B/W & Colour: 33 ppm

B/W & Colour: 31 ppm

B/W & Colour: 24 ppm

Max Print Resolution

1,200 x 1,200 dpi

600 x 2,400 dpi

600 x 600 dpi

FPOT

B/W: 7.5 sec

B/W: 10.0 sec

B/W: 10.9 sec

(First Print Output Time)

Colour: 7.5 sec

Colour: 11.0 sec

Colour: 10.9 sec

User Interface

2.4" Colour LCD

2 Line LCD

2 Line LCD

Connectivity

USB 2.0 / Gigabit Ethernet /  
Wi-Fi\*<sup>2</sup>

USB 2.0 / Gigabit Ethernet /  
Wi-Fi

USB 2.0 / Gigabit Ethernet /  
Wi-Fi

Media GSM (Min to Max)

60 to 200 gsm

60 to 176 gsm

60 to 200 gsm

Automatic Duplex Printing

Yes

Yes

Yes

Paper Capacity (Std/Max)

Standard: 251 sheets  
Max: 1,451 sheets

Standard: 300 sheets  
Max: 550 sheets

Standard: 251 sheets

\*1 Available on CPS-EX model

\*2 Optional

\*\* Icon definitions can be referred to page 3 and 14 to find different kind of solutions / finishing options

# A4 Single Function Mono Printer



## Product Specifications

### ApeosPrint 6340

### ApeosPort-VII P5021

### DocuPrint P385 dw / P375 d/dw



Print Speed (A4 LEF)	63 ppm	53 ppm	50 ppm / 40ppm
Max Print Resolution	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi
FPOT (First Print Output Time)	3.6 sec	6.0 sec	7.5 sec / 7.2sec
User Interface	5" colour touch panel	5" colour touch panel	1 Line LCD
Connectivity	USB 3.0 / Gigabit Ethernet / NFC / Wi-Fi*2	USB 3.0 / Gigabit Ethernet / NFC / Wi-Fi*2	USB 2.0 / Ethernet / Wi-Fi*3
Media GSM (Min to Max)	60 to 220 gsm	60 to 220 gsm	60 to 120 gsm
Automatic Duplex Printing	Yes	Yes	Yes
Paper Capacity (Std/Max)	Standard: 700 sheets Max: 3,250 sheets	Standard: 700 sheets Max: 2,350 sheets	Standard : 520 sheets / 250 sheets Max: 1,610 sheets / 1,340 sheets



## Product Specifications

### ApeosPort Print 4730 SD

### ApeosPort Print 4020 SD

### ApeosPort Print 3410 SD



Print Speed (A4 LEF)	47 ppm	40 ppm	34 ppm
Max Print Resolution	1,200 x 1,200 dpi	600 x 600 dpi	600 x 600 dpi
FPOT (First Print Output Time)	6.0 sec	5.9 sec	8.0 sec
User Interface	4.3" colour touch panel	2 Line LCD	2 Line LCD
Connectivity	USB 2.0 / Gigabit Ethernet / Wi-Fi*2	USB 2.0 / Gigabit Ethernet / Wi-Fi	USB 2.0 / Ethernet / Wi-Fi
Media GSM (Min to Max)	60 to 216 gsm	60 to 217 gsm	60 to 200 gsm
Automatic Duplex Printing	Yes	Yes	Yes
Paper Capacity (Std/Max)	Standard : 650 sheets Max: 2,300 sheets	Standard : 350 sheets Max: 900 sheets	Standard : 251 sheets

\*1 Available on CPS-EX model

\*2 Optional

\*3 Not available for DocuPrint P375 d

\*\* Icon definitions can be referred to page 3 and 14 to find different kind of solutions / finishing options

# A4 Multifunction Colour Printer



## Product Specifications

### Apeos C5240

### ApeosPort-VII C4421 / C3321

### ApeosPort C3830 SD



Print Speed (A4 LEF)	B/W & Colour: 52 ppm	B/W & Colour: 40 / 35 ppm	B/W & Colour: 38 ppm
Max Print Resolution	1,200 x 2,400 dpi	1,200 x 2,400 dpi	1,200 x 1,200 dpi
Max Scan Speed	B/W: 104 ppm Colour: 83 ppm (1 pass, 2 sided scanning)	B/W: 105 ppm Colour: 96 ppm (1 pass, 2 sided scanning)	B/W: 94 ppm Colour: 60 ppm
Max Scan Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
FPOT (First Print Output Time)	B/W: 5.2 sec Colour: 7.0 sec	B/W: 8.0 sec Colour: 8.0 sec	B/W: 8.0 sec Colour: 8.0 sec
User Interface	7.0" colour touch panel	7" / 5" colour touch panel	4.3" colour touch panel
Connectivity	USB 3.0 / Gigabit Ethernet / NFC / Wi-Fi* <sup>2</sup>	USB 3.0 / Ethernet / NFC / Wi-Fi* <sup>2</sup>	USB 2.0 / Gigabit Ethernet / Wi-Fi* <sup>2</sup>
Media GSM (Min to Max)	60 to 220 gsm	60 to 220 gsm	60 to 200 gsm
Automatic Duplex Printing	Yes	Yes	Yes
Document Feeder	100 sheets	100 sheets / 50 sheets	100 sheets
Paper Capacity (Std/Max)	Standard: 700 sheets Max: 3,250 sheets	Standard: 700 sheets Max: 2,350 sheets	Standard: 251 sheets Max: 1,451 sheets



## Product Specifications

### ApeosPort C3320 SD

### Apeos C325 z

### ApeosPort C2410 SD



Print Speed (A4 LEF)	B/W & Colour: 33 ppm	B/W & Colour: 31 ppm	B/W & Colour: 24 ppm
Max Print Resolution	1,200 x 1,200 dpi	600 x 2,400 dpi	600 x 600 dpi
Max Scan Speed	B/W: 47 ppm Colour: 30 ppm	B/W: 45 ppm Colour: 22 ppm (1 pass, 2 sided scanning)	B/W: 20 ppm Colour: 20 ppm
Max Scan Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
FPOT (First Print Output Time)	B/W: 8.5 sec Colour: 8.5 sec	B/W: 10.0 sec Colour: 11.0 sec	B/W: 10.6 sec Colour: 10.6 sec
User Interface	4.3" colour touch panel	2.8" colour touch panel	2.8" touch panel
Connectivity	USB 2.0 / Gigabit Ethernet / Wi-Fi* <sup>2</sup>	USB 2.0 / Gigabit Ethernet / Wi-Fi	USB 2.0 / Gigabit Ethernet / Wi-Fi
Media GSM (Min to Max)	60 to 200 gsm	60 to 176 gsm	60 to 200 gsm
Automatic Duplex Printing	Yes	Yes	Yes
Document Feeder	50 sheets	50 sheets	50 sheets
Paper Capacity (Std/Max)	Standard: 251 sheets Max: 1,451 sheets	Standard: 300 sheets Max: 550 sheets	Standard: 251 sheets

\*1 Available on CPS-EX model

\*2 Optional

\*\* Icon definitions can be referred to page 3 and 14 to find different kind of solutions / finishing options



# A4 Multifunction Mono Printer



## Product Specifications

**Apeos  
6340**

**ApeosPort-VII  
5021 / 4021**

**DocuPrint  
M385 z / M375 df/z**



Print Speed (A4 LEF)	63 ppm	53 / 48 ppm	50 / 40 ppm
Max Print Resolution	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi
Max Scan Speed	B/W: 110 ppm Colour: 83 ppm (1 pass, 2 sided scanning)	B/W: 105 ppm Colour: 96 ppm (1 pass, 2 sided scanning)	B/W: 56 ppm Colour: 34 ppm (1 pass, 2 sided scanning)
Max Scan Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
FPOT (First Print Output Time)	6.0 sec	6.0 sec	7.5 sec / 7.2 sec
User Interface	7.0" colour touch panel	7" / 5" colour touch panel	4.85" / 3.7" colour touch panel
Connectivity	USB 3.0 / Gigabit Ethernet / NFC / Wi-Fi* <sup>2</sup>	USB 3.0 / Gigabit Ethernet / NFC / Wi-Fi* <sup>2</sup>	USB 2.0 / Ethernet / Wi-Fi
Media GSM (Min to Max)	60 to 220 gsm	60 to 220 gsm	60 to 120 gsm
Automatic Duplex Printing	Yes	Yes	Yes
Document Feeder	Yes	100 sheets / 50 sheets	70 sheets / 50 sheets
Paper Capacity (Std/Max)	Standard: 700 sheets Max: 3,250 sheets	Standard: 700 sheets Max: 2,350 sheets	Standard : 520 sheets / 250 sheets Max: 1,610 sheets / 1,340 sheets



## Product Specifications

**ApeosPort  
4730 SD**

**ApeosPort  
4020 SD**

**ApeosPort  
3410 SD**



Print Speed (A4 LEF)	47 ppm	40 ppm	34 ppm
Max Print Resolution	1,200 x 1,200 dpi	600 x 600 dpi	600 x 600 dpi
Max Scan Speed	B/W: 94 ppm Colour: 60 ppm	B/W: 92 ppm Colour: 40 ppm	B/W: 23 ppm Colour: 7 ppm
Max Scan Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
FPOT (First Print Output Time)	6.0 sec	5.9 sec	8.0 sec
User Interface	7.0" colour touch panel	2.8" LCD	2 line LCD
Connectivity	USB 2.0 / Gigabit Ethernet / Wi-Fi* <sup>2</sup>	USB 2.0 / Gigabit Ethernet / Wi-Fi	USB 2.0 / Ethernet / Wi-Fi
Media GSM (Min to Max)	60 to 216 gsm	60 to 217 gsm	60 to 200 gsm
Automatic Duplex Printing	Yes	Yes	Yes
Document Feeder	100 sheets	50 sheets	50 sheets
Paper Capacity (Std/Max)	Standard : 650 sheets Max: 2,300 sheets	Standard : 350 sheets Max: 900 sheets	Standard : 251 sheets

\*1 Available on CPS-EX model

\*2 Optional

\*\* Icon definitions can be referred to page 3 and 14 to find different kind of solutions / finishing options

# A3 Multifunction Colour Printer



## Product Specifications

**Apeos  
C7070 / C6570 / C5570 /  
C4570 / C3570 / C3070**

**Apeos  
C8180 / C7580 / C6580**



Print Speed (A4 LEF)	B/W & Colour: 70 / 65 / 55 / 45 / 35 / 30 ppm	B/W & Colour: 81 / 75 / 65 ppm
Max Print Resolution	1,200 x 2,400 dpi	2,400 x 2,400 dpi
Max Scan Speed	B/W : Up to 270 ppm* <sup>1</sup> Colour: Up to 270 ppm* <sup>1</sup> (1 pass, 2 sided scanning)	B/W : Up to 270 ppm* <sup>1</sup> Colour: Up to 270 ppm* <sup>1</sup> (1 pass, 2 sided scanning)
Max Scan Resolution	600 x 600 dpi	600 x 600 dpi
FCOT (First Copy Output Time)	B/W: 3.3 sec to 4.9 sec Colour: 4.1 sec to 6.7 sec	B/W: 4.1 sec Colour: 5.4 sec
User Interface	10.1" touch panel	10.1" touch panel
Connectivity	USB 3.0 / Ethernet / NFC / Wi-Fi* <sup>2</sup>	USB 3.0 / Ethernet / NFC / Wi-Fi* <sup>2</sup>
Media GSM (Min to Max)	52 to 300 gsm	52 to 300 gsm
Max Media Size	SRA3, 12 x 18" (305 x 457 mm) Banner Printing (330 x 1,300 mm)	13 x 19" (330 x 483 mm), Banner Printing (330 x 1,300 mm)
Max Paper Capacity	6,140 sheets * <sup>1</sup>	7,360 sheets * <sup>1</sup>



## Product Specifications

**Apeos  
C3060 / C2560 / C2060**

**DocuCentre  
SC2022**



Print Speed (A4 LEF)	B/W & Colour: 30 / 25 / 20 ppm	B/W & Colour: 20 ppm
Max Print Resolution	1,200 x 2,400 dpi	1,200 x 2,400 dpi
Max Scan Speed	B/W : Up to 80 ppm* <sup>1</sup> Colour: Up to 80 ppm* <sup>1</sup> (1 pass, 2 sided scanning)	B/W : 27 ppm Colour: 27 ppm
Max Scan Resolution	600 x 600 dpi	600 x 600 dpi
FCOT (First Copy Output Time)	B/W: 4.9 sec to 5.9 sec Colour: 6.7 sec to 8.1sec	B/W: 8.6 sec Colour: 10.8 sec
User Interface	7" touch panel	4.3" touch panel
Connectivity	USB 3.0 / Ethernet / NFC / Wi-Fi* <sup>2</sup>	USB 2.0 / Ethernet / NFC / Wi-fi* <sup>2</sup>
Media GSM (Min to Max)	60 to 256 gsm	60 to 216 gsm
Max Media Size	A3, 11 x 17" (279 x 432 mm)	A3, 11 x 17" (279 x 432 mm)
Max Paper Capacity	2,096 sheets * <sup>1</sup>	850 sheets * <sup>1</sup>

\*1 Check with local sales office for different configurations

\*2 Optional

\*\* Icon definitions can be referred to page 3 and 14 to find different kind of solutions / finishing options

# A3 Multifunction Mono Printer



## Product Specifications

**Apeos  
5570 / 4570**

**Apeos  
3560 / 3060 / 2560**



Print Speed (A4 LEF)

55 / 45ppm

35 / 30 / 25 ppm

Max Print Resolution

1,200 x 2,400 dpi

1,200 x 1,200 dpi

Max Scan Speed

B/W: 160 ppm  
Colour: 160 ppm  
(1 pass, 2 sided scanning)

B/W : Up to 80 ppm\*<sup>1</sup>  
Colour: Up to 80 ppm\*<sup>1</sup>  
(1 pass, 2 sided scanning)

Max Scan Resolution

600 x 600 dpi

600 x 600 dpi

FCOT

3.6 sec

4.5 sec

(First Copy Output Time)

User Interface

10.1" touch panel

7" touch panel

Connectivity

USB 3.0 / Ethernet / NFC / Wi-Fi\*<sup>2</sup>

USB 3.0 / Ethernet / NFC / Wi-Fi\*<sup>2</sup>

Media GSM (Min to Max)

52 to 300 gsm

60 to 256 gsm

Max Media Size

SRA3, 12 x 18" (305 x 457 mm)  
Banner Printing (330 x 1,300 mm)

A3, 11 x 17" (279 x 432 mm)

Max Paper Capacity

6,140 sheets \*<sup>1</sup>

2,096 sheets \*<sup>1</sup>



## Product Specifications

**ApeosPort-V /  
DocuCentre-V  
7080 / 6080**

**DocuCentre  
S2520 / S2320**

**Apeos  
2150 NDA**



Print Speed (A4 LEF)

75 / 65 ppm

25 / 23 ppm

21 ppm

Max Print Resolution

1,200 x 1,200 dpi

600 x 600 dpi

600 x 600 dpi

Max Scan Speed

B/W: 200 ppm  
Colour: 200 ppm  
(1 pass, 2 sided scanning)

B/W: 28 ppm  
Colour: 28 ppm

B/W: 40 ppm  
Colour: 38 ppm  
(1 pass, 2 sided scanning)

Max Scan Resolution

600 x 600 dpi

600 x 600 dpi

600 x 600 dpi

FCOT

3.0 sec

6.5 sec

7.4 sec

(First Copy Output Time)

User Interface

9" LCD touchscreen

4-line LCD

LCD

Connectivity

USB 3.0 / Ethernet / NFC\*<sup>2</sup> /  
Wi-Fi\*<sup>2</sup>

USB2.0 / Ethernet

USB 2.0 / Ethernet / NFC/  
Wifi\*<sup>2</sup>

Media GSM (Min to Max)

52 to 250 gsm

60 to 216 gsm

60 to 216 gsm

Max Media Size

A3,  
11 x 17" (279 x 432 mm)

A3,  
11 x 17" (279 x 432 mm)

A3,  
11 x 17" (279 x 432 mm)

Max Paper Capacity

8,600 sheets\*<sup>1</sup>

850 sheets \*<sup>1</sup>

850 sheets\*<sup>1</sup>

\*<sup>1</sup> Check with local sales office for different configurations

\*<sup>2</sup> Optional

\*\* Icon definitions can be referred to page 3 and 14 to find different kind of solutions / finishing options

# A3 Entry Production Colour Printer



## Product Specifications

## ApeosPro C810 / C750 / C650



Print Speed (A4 LEF)	B/W & Colour: 81 / 75 / 65 ppm
Max Print Resolution	2,400 x 2,400 dpi
Max Scan Speed	B/W: 270 ppm Colour: 270 ppm (1 pass, 2 sided scanning)
Max Scan Resolution	600 x 600 dpi
FCOT (First Copy Output Time)	B/W: 4.1 sec Colour: 5.4 sec
User Interface	10.1" touch panel
Connectivity	USB 3.1 / Ethernet / NFC / Wifi*2
Media Weight (Min to Max)	520 to 350 gsm
Max Media Size	A3, 11 x 17" (279 x 432 mm) Banner Printing (330 x 1,300 mm)
Max Paper Capacity	7,360 sheets*1

## Product Specifications

## GP Controller D01

Type	External
CPU	Intel® Core™ i3-8100 Processor (3.60 GHz)
Storage Device	Hard disk: 1 TB (System) + 1 TB (Option), DVD Multi drive
Memory Capacity	16 GB (Max: 32 GB)
Page Description Language	Adobe® PostScript® 3™, PDF/VT-1, PDF/VT-2, PPML, VIPP*3
Maximum Power Consumption	0.26 kW
Dimensions	W 98 x D 400 x H 340 mm

# A0 Wide Format Mono Printer



## Product Specifications

## ApeosWide 3030



Print Speed	A0: 3.2 ppm A1 LEF: 7.0 ppm
Max Print Resolution	1,200 x 1,200 dpi
Max Scan Speed	3030 B/W: 203.2 mm/sec Colour*2 : 67.6 mm/sec
Max Scan Resolution	600 x 600 dpi
FCOT (First Copy Output Time)	A0 SEF: Less than 23 sec to 25 sec
User Interface	10.1" touch panel
Connectivity	Ethernet
Media Weight (Min to Max)	Plain paper: 64 to 110 gsm Tracing paper: 90 to 112 gsm Film: 75 to 100 µm
Max Media Size	A0, Width: 279.4 to 914.4 mm

\*1 Check with local sales office for different configurations

\*2 Optional

\*3 VIPP stands for Variable Information Production Printware. Used with optional software FreeFlow VI Compose.

\*\* Icon definitions can be referred to page 3 and 14 to find different kind of solutions / finishing options

# Production Colour Printer



## Product Specifications

### Versant 180i/170i Press

Print Speed (A4 LEF):	80ppm/ 70ppm
Max Print Resolution:	2400 x 2400dpi
Max Scan Resolution:	600 x 600 dpi
FCOT (First Copy Output Time):	B/W: 5.2 sec. (A4 / Monochrome priority mode) Colour: 9.0 sec. (A4 / Colour priority mode)
Connectivity:	USB2.0/ USB3.0/ Ethernet
Media Weight (Min to Max):	64 to 256 gsm Banner Printing - 52 to 220 gsm
Max Media Size:	A3, 11 x 17" (279 x 432 mm) Banner Printing, (330 x 1,300 mm)
Max Paper Capacity:	10300 sheets*

\*When fitted with Standard + Chained Air Suction Feeder C1-DS-R + C1-DS-L



## Product Specifications

### Versant 3100i Press

Print Speed (A4 LEF):	80ppm/ 70ppm
Max Print Resolution:	2400 x 2400dpi
Max Scan Resolution:	600 x 600 dpi
FCOT (First Copy Output Time):	B/W: 5.2 sec. (A4 / Monochrome priority mode) Colour: 9.0 sec. (A4 / Colour priority mode)
Connectivity:	USB2.0/ USB3.0/ Ethernet
Media Weight (Min to Max):	Media Weight (Min to Max): 64 to 256 gsm Banner Printing - 52 to 220 gsm
Max Media Size:	A3, 11 x 17" (279 x 432 mm) Banner Printing, (330 x 1,300 mm)
Max Paper Capacity:	10300 sheets*



# Production Colour Printer



## Product Specifications

### Revoria Press PC1120

<b>Print Speed:</b>	A4, 120ppm A3, 60ppm
<b>Max Print Resolution:</b>	2400 x 2400 dpi
<b>Connectivity:</b>	USB2.0/ USB3.0/ Ethernet
<b>Media Weight (Min to Max):</b>	52 – 400 gsm
<b>Max Media Size:</b>	Banner Printing, 330 x 1200 mm
<b>Max Paper Capacity:</b>	12650 sheets*

\* When fitted with Standard + Chained Air Suction Feeder C1-DS-R + Chained Air Suction Feeder C1-DS-L

# Production Mono Printer



## Product Specifications

### Revoria Press E1136 / E1125 / E1100

<b>Print Speed:</b>	A4, 136 ppm/ 125 ppm / 110 ppm A3, 68 ppm, 62 ppm, 55 ppm
<b>Max Print Resolution:</b>	2400 x 2400 dpi
<b>Max Scan Speed:</b>	136 ppm (1 sided), 270 ppm (2 sided)
<b>Max Scan Resolution:</b>	600 x 600 dpi/ 400 x 400 dpi/ 300 x 300 dpi
<b>FCOT (First Copy Output Time):</b>	3.9 sec. (A4)
<b>User Interface:</b>	
<b>Connectivity:</b>	USB2.0/ Ethernet
<b>Media Weight (Min to Max):</b>	52 – 350 gsm
<b>Max Media Size:</b>	Banner Printing, 330.2mm x 660.4mm
<b>Max Paper Capacity:</b>	8250 sheets*

\*When fitted with Standard + High Capacity Feeder C1-D2 + Multi Sheet Inserter



FUJIFILM Business Innovation Asia Pacific Pte. Ltd. was awarded the Buyers Lab (BLI) Winter 2022 A4 Pick Awards from Keypoint Intelligence for Outstanding Colour Multifunction Printer (MFP)/Printer for Small Workgroups with the Apeos C325 series and ApeosPrint C325 dw, and the Buyers Lab (BLI) 2022 A3 Pick Award from Keypoint Intelligence for the Apeos C7070 A3 Colour Multifunction Printer (MFP).

About BLI Office Hardware Pick Awards

Buyers Lab Picks stand alone in the industry and are hard-earned awards as they are based on rigorous testing, including an extensive durability assessment and evaluation of key attributes such as usability, image quality, and value. Each product that passes its lab test earns the Highly Recommended or Recommended Seal and a Certificate of Reliability, with the best performers qualifying as Pick contenders.



[fujifilm.com/fbau](http://fujifilm.com/fbau)

# FUJIFILM

## FUJIFILM Business Innovation Australia Pty Ltd

8 Khartoum Road MACQUARIE PARK NSW 2113 Australia  
 Phone (02) 9856 5000 | Fax (02) 9856 5003



FX Business Solutions Illawarra  
 02 4220 5000  
[fionam@fxillawarra.com.au](mailto:fionam@fxillawarra.com.au)  
[www.fxillawarra.com.au](http://www.fxillawarra.com.au)

The available model varies depending on the country/region. Please ask the sales representatives for details.

The product specifications, appearance and other details in this brochure are subject to change without notice for improvements.

**Reproduction Prohibitions** Please note that reproduction of the following is prohibited by law : •Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. •Unused postage stamps, post cards, etc. •Certificate stamps stipulated by law. •Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

**Trademarks** •FUJIFILM and FUJIFILM logo are registered trademarks or trademarks of FUJIFILM Corporation. •Apeos, ApeosWiz, Working Folder is registered trademarks or trademarks of FUJIFILM Business Innovation Corp. •Adobe, Adobe logo, PostScript and PostScript logo are either registered trademarks or trademarks of Adobe in the United States and/or other countries. •Apple, AirPrint and Mac are trademarks of Apple Inc. registered in the U.S. and other countries. •Mopria®, the Mopria® Logo, and the Mopria Alliance™ word mark and logo are registered and/or unregistered trademarks and service marks of Mopria Alliance, Inc. in the United States and other countries. Unauthorized use is strictly prohibited. •All product names and company names mentioned in this brochure are trademarks or registered trademarks of their respective companies.

**For Your Safety**

Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

The information is as of April, 2021. PIC-0XXX AG (XXXX)